

EAZY CARE STYLE



The sophisticated color selection of EAZYCARE STYLE offers a characteristic composition of 13 stylish shades, specially designed to complement interiors and flooring.



Sizes:

60 cm × 85 cm
75 cm × 85 cm
80 cm × 120 cm
85 cm × 150 cm
85 cm × 300 cm

120 cm × 180 cm
120 cm × 200 cm
120 cm × 240 cm

150 cm × 200 cm
150 cm × 250 cm
150 cm × 300 cm

special sizes are
possible up to max.
200 cm × 1.000 cm

Thickness: 13 mm

Weight: 3,2 kg/m²

Surface:

closed

Material:

100 % ECONYL® (regenerated
polyamide) on 100 % nitrile-
rubber backing

Characteristics

- the fully dyed tufted ECONYL®-fibers prevent color loss, are bleach-resistant and UV-resistant
- available in 13 fresh colours
- Eazycare Style is flame retardant (Bfl/S1)
- up to 200 washes possible in industrial washing machines
- the oil-resistant nitrile rubber backing combined with the high dirt-holding capacity enables a versatile range of applications – even suitable for service stations and industry
- antistatic effect
- does not retain moisture, it prevents formation of bad odors
- 3 mm reinforced rubber edge and 1,7 mm thick backing provide slip resistance
- additional design option (6 colors per design) due to special tufting process


Cleaning Instructions

For quick cleaning, shaking out or vacuuming is sufficient. Daily cleaning is recommended in high-traffic areas; weekly in lower-traffic applications. Eazycare Style can only be industrially washed and dried.


EASY CARE STYLE



natural,
subtle colors



A11 | Fawn
≙ RAL 1015
Light ivory



A27 | Mole
≙ RAL 8019
Gray brown


neutral,
gray shades




A29 | Dove
≙ RAL 7042
Traffic gray



A23 | Gray Metal
≙ RAL 7012
Basalt gray



A26 | Smokey Mount
≙ RAL 7021
Black gray




A30 | Raven Black
≙ RAL 9005
Deep black

pastel,
light shades




A36 | Light Blue
≙ RAL 5024
Pastel blue


muted,
dark shades



A17 | Rust
≙ RAL 3011
Brown red




A34 | Deeper Navy
≙ RAL 5011
Steel blue



A41 | Olive
≙ RAL 6020
Chrome green


earthy,
warm shades



A04 | Golden Tan
≙ RAL 1001
Beige



A05 | Gold
≙ RAL 1011
Brown beige



A06 | Camel
≙ RAL 8003
Clay brown

The colors displayed on the screen may differ from the actual mat colors.
The RAL colors represent approximate values.

EASY CARE STYLE



Laundrying instructions commercial laundering

- **Flush, 2-3 Min.** on a medium water level with a maximum temperature of 50°C
- **Flush (optional), 2-3 Min** on a medium water level with a maximum temperature of 50°C
- **Break, 2-3 Min.** on a high water level with a maximum temperature of 50°C
- **Rinse, 2 Min.** on a high water level with cold temperature
- **Rinse, 2 Min** on a high water level with cold temperature
- **Extract** on low speed, **1-2 Min.**
- **Shakeout** with the drum turning, **1 Min.**
- **Extract**, on a maximum of 250G, **3-5 Min.**
- **Dry (optional), 5-10 Min.** with a maximum basket temperature of 80 °C
- **Cooldown, 5 Min.**

Additional Recommendations

- For Heavy Soiled Mats, increase the temperature up to max. 70°C
- The break should not exceed pH of 9,5; use low pH non-ionic detergents
- Do not overdry mats; Basket-temperature of the dryer should not exceed 80°C
- If mats are not dried, the final rinse can be increased to 50°C. This will reduce moisture retention following extraction
- Lay mats flat following removal from washer; allow mats to cool before rolling
- It is recommended to wash Eazycare Style mats separately from other mats